



OIPE

RAW SEQUENCE LISTINGPATENT APPLICATION: US/09/677,822A

DATE: 02/19/2002

TIME: 14:47:44

Input Set : A:\GC527C2-seqlist.txt

Output Set: N:\CRF3\02192002\1677822A.raw

ρŚ

```
3 <110> APPLICANT: Estell, David
         Harding, Fiona
 6 <120> TITLE OF INVENTION: PROTEINS PRODUCING AN ALTERED IMMUNOGENIC RESPONSE AND
         METHODS OF MAKING AND USING THE SAME
 9 <130> FILE REFERENCE: GC527C2
11 <140> CURRENT APPLICATION NUMBER: US 09/677,822A
12 <141> CURRENT FILING DATE: 2000-10-02
14 <150> PRIOR APPLICATION NUMBER: US 09/500,135
15 <151> PRIOR FILING DATE: 2000-02-08
17 <150> PRIOR APPLICATION NUMBER: US 09/060,872
                                                            ENTERED
18 <151> PRIOR FILING DATE: 1998-04-15
20 <160> NUMBER OF SEQ ID NOS: 240
22 <170> SOFTWARE: PatentIn Ver. 2.1
24 <210> SEQ ID NO: 1
25 <211> LENGTH: 1495
26 <212> TYPE: DNA
27 <213> ORGANISM: Bacillus amyloliquefaciens
29 <220> FEATURE:
.30 <221> NAME/KEY: mat_peptide
31 <222> LOCATION: (417)..(1495)
33 <220> FEATURE:
34 <221> NAME/KEY: CDS
35 <222> LOCATION: (96)..(1244)
37 <220> FEATURE:
38 <221> NAME/KEY: misc_feature
39 <222> LOCATION: (582)..(584)
40 <223> OTHER INFORMATION: The nnn at positions 582 through 584 which in a
41
         preferred embodiment (aat) is to code for
42
         asparagine, but which may also code for proline.
44 <220> FEATURE:
45 <221> NAME/KEY: misc_feature
46 <222> LOCATION: (585)..(587)
47 <223> OTHER INFORMATION: The nnn at positions 585 through 587 which in a
         preferred embodiment (cct) is to code for proline,
48
49
         but which may also code for asparagine.
51 <220> FEATURE:
52 <221> NAME/KEY: misc_feature
53 <222> LOCATION: (597)..(599)
54 <223> OTHER INFORMATION: The nnn at positions 597 to 599 which in a
         preferred embodiment (aac) is to code for
         asparagine, but which may also code for aspartic acid.
58 <220> FEATURE:
59 <221> NAME/KEY: misc_feature
```

RAW SEQUENCE LISTINGPATENT APPLICATION: **US/09/677,822A**DATE: 02/19/2002
TIME: 14:47:44

Input Set : A:\GC527C2-seqlist.txt
Output Set: N:\CRF3\02192002\1677822A.raw

```
60 <222> LOCATION: (678)..(680)
61 <223> OTHER INFORMATION: The nnn at positions 678 through 680 which in a
62
         preferred embodiment (gca) is to code for
63
         alanine, but which may also code for serine.
65 <220> FEATURE:
66 <221> NAME/KEY: misc_feature
67 <222> LOCATION: (681)..(683)
68 <223> OTHER INFORMATION: The nnn at positions 681 through 683 which in a
         preferred embodiment (tca) is to code for serine,
70
         but which may also code for alanine.
72 <220> FEATURE:
73 <221> NAME/KEY: misc_feature
74 <222> LOCATION: (708)..(710)
75 <223> OTHER INFORMATION: The nnn at positions 708 through 710 which in a
76
         preferred embodiment (gct) is to code for
77
         alanine, but which may also code for aspartic acid.
79 <220> FEATURE:
80 <221> NAME/KEY: misc_feature
81 <222> LOCATION: (711)..(713)
82 <223> OTHER INFORMATION: The nnn at positions 711 through 713 which in a
         preferred embodiment (gac) is to code for
         aspartic acid, but which may also code for alanine.
86 <220> FEATURE:
87 <221> NAME/KEY: misc_feature
88 <222> LOCATION: (888)..(890)
89 <223> OTHER INFORMATION: The nnn at positions 888 through 890 which in a
         preferred embodiment (act) is to code for
         threonine, but which may also code for serine.
93 <220> FEATURE:
94 <221> NAME/KEY: misc_feature
95 <222> LOCATION: (891)..(893)
96 <223> OTHER INFORMATION: The nnn at positions 891 through 893 which in a
97
         preferred embodiment (tcc) is to code for
98
         serine, but which may also code for threonine.
100 <220> FEATURE:
101 <221> NAME/KEY: misc_feature
102 <222> LOCATION: (1167)..(1169)
103 <223> OTHER INFORMATION: The nnn at positions 1167 through 1169 which in
          a preferred embodiment (gaa) is to code for
104
105
          glutamic acid, but which may also code for glutamine.
107 <400> SEQUENCE: 1
108 ggtctactaa aatattattc catactatac aattaataca cagaataatc tgtctattqg 60
110 ttattctgca aatgaaaaaa aggagaggat aaaga atg aga ggc aaa aaa gta
                                                                       113
111
                                           Met Arg Gly Lys Lys Val
112
                                                   -105
114 tgg atc agt ttg ctg ttt gct tta gcg tta atc ttt acg atg gcg ttc
                                                                       161
115 Trp Ile Ser Leu Leu Phe Ala Leu Ala Leu Ile Phe Thr Met Ala Phe
                            -95
                                                 -90
118 ggc agc aca tcc tct gcc cag gcg gca ggg aaa tca aac ggg gaa aag
                                                                       209
```

RAW SEQUENCE LISTING
PATENT APPLICATION: US/09/677,822A

DATE: 02/19/2002
TIME: 14:47:44

Input Set : A:\GC527C2-seqlist.txt
Output Set: N:\CRF3\02192002\I677822A.raw

	120) -8:	כ				-80)				-75	5				1 Lys -70	
	122 123 124	з гла	a tat s Tyr	att Ile	gto Val	ggg Gly -65	7 Phe	aaa Lys	cag Glr	g aca	a ato Met	Sei	c aco	g ato Met	g ago	gcc Ala	gct Ala	257
	126 127 128	гла	g aag S Lys	aaa Lys	gat Asp	Val	att Ile	tct Ser	gaa Glu	aaa Lys	ggc Gly	. aac	g aaa 7 Lys	gtg Val	. Glr	aag Lys	caa Gln	305
	130 131 132	. Pne	c aaa E Lys	tat Tyr	gta Val	gac	gca Ala	gct Ala	tca Ser	gct	aca	tta Leu	aac Asr	gaa Glu -25	Lys	act	gta Val	353
	134 135 136	гуз	gaa Glu -20	ttg Leu	aaa Lys	aaa Lys	gac Asp	ccg Pro -15	ago Ser	gto	gct Ala	tac Tyr	· Val	gaa Glu	σаа	gat Asp	cac His	401
	138 139	gta	gca Ala	cat His	gcg Ala	tac Tyr	Ala	cag	tcc	gtg Val	cct	tac Tyr	-10 ggc Gly	gta	tca Ser	Gln	att Ile	449
	142	aaa Lys		cct Pro	Ala	ctg Leu	cac	tct Ser	caa Gln	Gly	Tyr	act Thr	gga Gly	tca Ser	Asn	Val	aaa	497
	146 147	gta	gcg Ala	Val	15 atc Ile	gac	agc Ser	ggt Gly	Ile	20 gat Asp	tct	tct Ser	cat His	cct Pro	25 gat Asp	tta	aag Lys	545
	. T2T	gta Val	gca Ala	30 ggc Gly	gga Gly	gcc Ala	agc Ser	Met	35 gtt Val	cct Pro	tct Ser	gaa Glu	aca Thr	40 nnn Xaa	nnn Xaa	ttc Phe	caa Gln	593
数	152 154 155	gac Asp	nnn	aac	tct	cac	gga	50	cac	a++	acc	~~~	55					641
MH3	158 159	aat	aac	tca	atc	ggt	gta	tta	aac	att	aca	70 cca	age	nnn	nnn	ctt	75 tac	689
	/162	gct		aaa	gtt	80 ctc	ggt	nnn	nnn	aat	85 tcc	aac	caa	tac	agc	90 t gg	atc	737
	166	att	aac Asn	gga	95 atc	gag	tgg	gcg	atc	100 gca	aac	aat	atσ	gac	105 att	att	aac	785
	170	atg	agc	ctc	ggc	gga	cct	tct	115 ggt	tct	qct	act	tta	120 aaa	aca	aca	att	833
	172	met	Ser 125 aaa	Leu	Gly	Gly	Pro	Ser 130	Gly	Ser	Ala	Ala	Leu 135	Lys	Ala	Ala	Val	
	175 176	ASP	Lys	Ala	Val	Ата	Ser 145	GLY	Val	Val	Val	Val 150	Ala	Ala	Ala	Gly	Asn 155	881
کے داکمت		~																
iggi->	178	GLU	ggc Gly	nńn Xaa	Xaa	Gly 160	Ser	Ser	Ser	Thr	Val 165	Gly	Tyr	Pro	Gly	Lys 170	Tyr	929

DATE: 02/19/2002

TIME: 14:47:44

Input Set : A:\GC527C2-seqlist.txt Output Set: N:\CRF3\02192002\1677822A.raw 184 175 180 186 tct ttc tca agc gta gga cct gag ctt gat gtc atg gca cct ggc gta 187 Ser Phe Ser Ser Val Gly Pro Glu Leu Asp Val Met Ala Pro Gly Val 188 190 195 190 tct atc caa agc acg ctt cct gga aac aaa tac ggg gcg tac aac ggt 1073 191 Ser Ile Gln Ser Thr Leu Pro Gly Asn Lys Tyr Gly Ala Tyr Asn Gly 205 210 194 acg tca atg gca tct ccg cac gtt gcc gga gcg gct gct ttg att ctt 1121 195 Thr Ser Met Ala Ser Pro His Val Ala Gly Ala Ala Ala Leu Ile Leu 225 230 198 tct aag cac ccg aac tgg aca aac act caa gtc cgc agc agt tta nnn 199 Ser Lys His Pro Asn Trp Thr Asn Thr Gln Val Arg Ser Ser Leu Xaa 1169 240 245 202 aac acc act aca aaa ctt ggt gat tct ttc tac tat gga aaa ggg ctg 1217 203 Asn Thr Thr Lys Leu Gly Asp Ser Phe Tyr Tyr Gly Lys Gly Leu 255 260 206 atc aac gta cag gcg gca gct cag taa aacataaaaa accggccttg 1264 207 Ile Asn Val Gln Ala Ala Ala Gln 208 270 210 gccccgccgg tttttttatt tttcttcctc cgcatgttca atccgctcca taatcgacgg 1324 212 atggctccct ctgaaaattt taacgagaaa cggcgggttg acccggctca gtcccgtaac 1384 214 ggccaagtcc tgaaacgtct caatcgccgc ttcccggttt ccggtcagct caatgccgta 1444 216 acggtcggcg gcgttttcct gataccggga gacggcattc gtaatcggat c 219 <210> SEQ ID NO: 2 220 <211> LENGTH: 382 221 <212> TYPE: PRT 222 <213> ORGANISM: Bacillus amyloliquefaciens 224 <220> FEATURE: 225 <221> NAME/KEY: VARIANT 226 <222> LOCATION: (163)...(163) 227 <223> OTHER INFORMATION: Xaa = Asn or Pro 229 <220> FEATURE: 230 <221> NAME/KEY: VARIANT 231 <222> LOCATION: (164)...(164) 232 <223> OTHER INFORMATION: Xaa = Pro or Asn 234 <220> FEATURE: 235 <221> NAME/KEY: VARIANT 236 <222> LOCATION: (168)...(168) 237 <223> OTHER INFORMATION: Xaa = Asn or Asp 239 <220> FEATURE: 240 <221> NAME/KEY: VARIANT 241 <222> LOCATION: (195)...(195) 242 <223> OTHER INFORMATION: Xaa = Ala or Ser 244 <220> FEATURE: 245 <221> NAME/KEY: VARIANT 246 <222> LOCATION: (196)...(196) 247 <223> OTHER INFORMATION: Xaa = Ser or Ala 249 <220> FEATURE: 250 <221> NAME/KEY: VARIANT

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/677,822A

RAW SEQUENCE LISTING DATE: 02/19/2002 PATENT APPLICATION: US/09/677,822A TIME: 14:47:44

Input Set : A:\GC527C2-seqlist.txt
Output Set: N:\CRF3\02192002\1677822A.raw

```
251 <222> LOCATION: (205)...(205)
      252 <223> OTHER INFORMATION: Xaa = Ala or Asp
      254 <220> FEATURE:
      255 <221> NAME/KEY: VARIANT
      256 <222> LOCATION: (206)...(206)
      257 <223> OTHER INFORMATION: Xaa = Asp or Ala
      259 <220> FEATURE:
      260 <221> NAME/KEY: VARIANT
      261 <222> LOCATION: (265)...(265)
      262 <223> OTHER INFORMATION: Xaa = Thr or Ser
      264 <220> FEATURE:
      265 <221> NAME/KEY: VARIANT
      266 <222> LOCATION: (266)...(266)
      267 <223> OTHER INFORMATION: Xaa = Ser or Thr
      269 <220> FEATURE:
      270 <221> NAME/KEY: VARIANT
      271 <222> LOCATION: (358)...(358)
      272 <223> OTHER INFORMATION: Xaa = Gln or Glu
      274 <400> SEQUENCE: 2
      275 Met Arg Gly Lys Lys Val Trp Ile Ser Leu Leu Phe Ala Leu Ala Leu
      277 Ile Phe Thr Met Ala Phe Gly Ser Thr Ser Ser Ala Gln Ala Ala Gly
     278
                       20
                                            25
     279 Lys Ser Asn Gly Glu Lys Lys Tyr Ile Val Gly Phe Lys Gln Thr Met
                   35
                                       40
     281 Ser Thr Met Ser Ala Ala Lys Lys Lys Asp Val Ile Ser Glu Lys Gly
     283 Gly Lys Val Gln Lys Gln Phe Lys Tyr Val Asp Ala Ala Ser Ala Thr
     285 Leu Asn Glu Lys Ala Val Lys Glu Leu Lys Lys Asp Pro Ser Val Ala
     287 Tyr Val Glu Glu Asp His Val Ala His Ala Tyr Ala Gln Ser Val Pro
     288
                      100
                                          105
     289 Tyr Gly Val Ser Gln Ile Lys Ala Pro Ala Leu His Ser Gln Gly Tyr
                  115
                                      120
     291 Thr Gly Ser Asn Val Lys Val Ala Val Ile Asp Ser Gly Ile Asp Ser
             130
                                  135
     293 Ser His Pro Asp Leu Lys Val Ala Gly Gly Ala Ser Met Val Pro Ser
     294 145
                              150
                                                  155
W--> 295 Glu Thr Xaa Xaa Phe Gln Asp Xaa Asn Ser His Gly Thr His Val Ala
     296
                                              170
     297 Gly Thr Val Ala Ala Leu Asn Asn Ser Ile Gly Val Leu Gly Val Ala
                     180
                                          185
                                                            ~ 190
W--> 299 Pro Ser Xaa Xaa Leu Tyr Ala Val Lys Val Leu Gly Xaa Xaa Gly Ser
     300
                                      200
     301 Gly Gln Tyr Ser Trp Ile Ile Asn Gly Ile Glu Trp Ala Ile Ala Asn
             210
                                  215
     303 Asn Met Asp Val Ile Asn Met Ser Leu Gly Gly Pro Ser Gly Ser Ala
     304 225
                              230
                                                  235
```

Use of n and/or Xaa has been detected in the Sequence Listing. Review the Sequence Listing to insure a corresponding explanation is presented in the <220> to <223> fields of each sequence using n or Xaa.

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/677,822A

DATE: 02/19/2002 TIME: 14:47:45

Input Set : A:\GC527C2-seqlist.txt

Output Set: N:\CRF3\02192002\1677822A.raw

```
L:150 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:151 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:154 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:155 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:158 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:159 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:162 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:163 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:163 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:178 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:179 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:198 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:199 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:295 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2
L:299 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2
L:307 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2
L:319 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2
```